

SG-37HCB-4E

Color Board Camera

- Metal Housing
- Varifocal Board Camera
- 1/3" SONY Super HAD CCD
- 540TVL/ 0.2Lux@F1.2
- 12Vdc/ 2.2W
- 38(W)x38(H)mm/ 15g
- AES/ AGC/ BLC/ FL Switch(ON/OFF)



Specification	Description
TV System	PAL NTSC
Pick Up Element	1/3" SONY Super HAD CCD
Number Of Total Pixels	PAL:795(H) X 596(V) NTSC:811 (H) X 508(V)
Resolution	540 TV Line
Minimum Illumination	Internal
Minimum Illumination	0.2Lux@F1.2
Auto Electronic Shutter	ON / OFF
Back Light Compensation	Automatic, 1/50(60)sec. ~1/100,000sec.
Auto Gain Control	ON / OFF
Flickerless	ON / OFF
White Balance	AWB/ PWB
Signal to Noise Ratio	More Than 50dB (AGC off)
Video Output	1Vp-p Composite / 75Ω
Power Supply	DC12V
Power Consumption	2.2 W(180mA)
Video Output	1. 1Vp-p COMPOSITE (75Ω) 2. Y/C Output 3. ITU-REC656 Digital Output
Board Lens	Standard: f2.9~10mm/ F1.2/ 94.6°~28.8° Option: Aspherical Auto Iris Lens f2.5~6.0mm/ F1.3/ 108.2°~47.6° Aspherical Auto Iris Lens f9~22.0mm/ F1.5/ 29.2°~13.0°
Pinhole Lens	Option:f3.7 or 4.3mm/F2.0
Operation Temperature	-10°C ~ +50°C
Operation Humidity	RH85% or less
Dimensions	38(V)X38(H) mm
Weight	15g