


SG-PTC-9S

One Cable Power Supply Unit

SG-PTC-9S one cable power supply unit are designed to use with on single cable camera. The unit transmits power and video signal by a single coaxial cable between power supply unit and camera.

• **9CH One Cable Power Supply Unit**



Specification	Description
Camera Input	9ch
Video Output	1.0 Vp-p Compositw / 75W BNC connector x 9
Video Loop	1.0 Vp-p Compositw / 75W BNC connector x 9
Power Supply	90 ~ 260 Vac
Power Consumption	60W
Operating Temperature	-10~50°C / RH85% or less
Storage Temperature	-20~60°C / RH90% or less
Dimensions	430(W)x280(D)x44.4(H)mm 17"(W)x11"(D)x1.75"(H)
Weight	4.5Kgs

Available One Cable System Camera :

- SG35C-PTC : Color CCD Camera, 380TVL / 0.15LUX
- SG38CV- PTC : Color Varifocal Camera,380TVL / 0.2LUX
- SG39CV- PTC : Color Hi-Res.Varifocal Camera,480TVL /0.25LUX
- SG38CDV- PTC : Color Varifocal Dome Camera,380TVL / 0.2LUX
- SG39CDV- PTC : Color Hi-Res.Varifocal Dome,480TVL/0.25LUX

Transmitting distance :

- Under 200M using RG-59A/U (3C2V) coaxial cable
- 200~400M using RG-6A/U (5C2V) coaxial cable
- 400~600M using RG-11A/U (7C2V) coaxial cable

System Applications :

